


~~CONFIDENTIAL~~ Rec mgt 5-



ATTENTION :

Chief, Inspection and Security

Mr. [REDACTED] 25X1A9a

Chief, Records Management and Distribution

25X1A6d

Distribution of Keys to [REDACTED]

25X1A9a

1. The following information is submitted in response to your request to Mr. [REDACTED] GAO, for a statement regarding the distribution of keys to the [REDACTED]

25X1A6d

- a. North, South and East metal loading doors have padlocks with duplicate set of keys. A key to each door is stored in a glass-paneled box adjacent to the door for the use of guards in an emergency. The other set of keys is retained in the office at the East door.
- b. The North and South loading doors have iron-grilled gates on the outside of the doors that are pulled to and padlocked. There are two keys for each of these locks and one is stored adjacent to each door for the use of the guard. The other set is retained in the office.
- c. Within the building are two doors, giving access to the caged areas. The padlocks on these doors are keyed alike and there are two keys. One key is stored in a glass-paneled box near the doors for the use of the guard. The other key is stored in the office.
- d. There are two keys to the office door and these are retained at [REDACTED] 25X1A6d
- e. There are two keys to the personnel entrance door next to the East loading door. One of these keys was turned over to the guard at the gate on 7 August, 1953. The other key is retained at [REDACTED] 25X1A6d

25X1A9a

Sanitized - Approved For Release : CIA-RDP70-00211R000100190076-6

Sanitized - Approved For Release : CIA-RDP70-00211R000100190076-6